



FB 系列青铜卷制轴套 FB Bronze Wrapped Bushing

www.huihebearing.com



内外倒角 ID and OD chamfers

S ₃	f ₁	f ₂	β
0.75	0.5±0.3	0.25±0.2	35°±5°
1.00	0.6±0.3	0.30±0.2	35°±5°
1.50	0.7±0.3	0.50±0.3	35°±5°

S ₃	f ₁	f ₂	β
2.00	1.2±0.4	0.50±0.3	35°±5°
2.50	1.8±0.6	0.60±0.3	45°±5°

外径 D	座孔 Housing Bore (H7)	压入座孔后的 内径 I.D.after fixed	壁厚 Wall Thickness	轴径 Shaft Dia. f7	L															
					10	15	20	25	30	35	40	50	60	70	80	90	100			
12	+0.065 +0.030	12+0.018	10	+0.043 0	10	-0.013 -0.028	●	●	●											
14	+0.065 +0.030	14+0.018	12	+0.043 0	12	-0.016 -0.034	●	●	●											
16	+0.065 +0.030	16+0.018	14	+0.043 0	14	-0.016 -0.034	●	●	●	●										
17	+0.065 +0.030	17+0.018	15	+0.043 0	15	-0.016 -0.034	●	●	●	●										
18	+0.065 +0.030	18+0.018	16	+0.043 0	16	-0.016 -0.034	●	●	●	●										
20	+0.065 +0.030	20+0.021	18	+0.043 0	18	-0.016 -0.034	●	●	●	●										
23	+0.075 +0.035	23+0.021	20	+0.052 0	20	-0.020 -0.041	●	●	●	●										
25	+0.075 +0.035	25+0.021	22	+0.052 0	22	-0.020 -0.041	●	●	●	●										
27	+0.075 +0.035	27+0.021	24	+0.052 0	24	-0.020 -0.041	●	●	●	●										
28	+0.075 +0.035	28+0.021	25	+0.052 0	25	-0.020 -0.041	●	●	●	●										
32	+0.075 +0.035	32+0.021	28	+0.052 0	28	-0.020 -0.041	●	●	●	●										
34	+0.075 +0.035	34+0.026	30	+0.052 0	30	-0.020 -0.041	●	●	●	●	●	●								
36	+0.085 +0.045	36+0.026	32	+0.062 0	32	-0.025 -0.060	●	●	●	●	●	●	●							
39	+0.085 +0.045	39+0.026	35	+0.062 0	35	-0.030 -0.060	●	●	●	●	●	●	●	●						
44	+0.085 +0.045	44+0.026	40	+0.062 0	40	-0.025 -0.060	●	●	●	●	●	●	●	●	●					
50	+0.085 +0.045	50+0.026	45	+0.062 0	45	-0.025 -0.060	●	●	●	●	●	●	●	●	●	●				
55	+0.085 +0.045	55+0.026	50	+0.062 0	50	-0.025 -0.060	●	●	●	●	●	●	●	●	●	●	●			
60	+0.100 +0.055	60+0.026	55	+0.074 0	55	-0.030 -0.060	●	●	●	●	●	●	●	●	●	●	●	●		
65	+0.100 +0.055	65+0.030	60	+0.074 0	60	-0.030 -0.060	●	●	●	●	●	●	●	●	●	●	●	●	●	
70	+0.100 +0.055	70+0.030	65	+0.074 0	65	-0.030 -0.060	●	●	●	●	●	●	●	●	●	●	●	●	●	●
75	+0.100 +0.055	75+0.030	70	+0.074 0	70	-0.030 -0.060	●	●	●	●	●	●	●	●	●	●	●	●	●	●
80	+0.100 +0.055	80+0.030	75	+0.074 0	75	-0.030 -0.060	●	●	●	●	●	●	●	●	●	●	●	●	●	●
85	+0.100 +0.055	85+0.030	80	+0.074 0	80	-0.030 -0.060	●	●	●	●	●	●	●	●	●	●	●	●	●	●
90	+0.120 +0.070	90+0.035	85	+0.087 0	85	-0.036 -0.071	●	●	●	●	●	●	●	●	●	●	●	●	●	●
95	+0.120 +0.070	95+0.035	90	+0.087 0	90	-0.036 -0.071	●	●	●	●	●	●	●	●	●	●	●	●	●	●
100	+0.120 +0.070	100+0.035	95	+0.087 0	95	-0.036 -0.071	●	●	●	●	●	●	●	●	●	●	●	●	●	●
105	+0.120 +0.070	105+0.035	100	+0.087 0	100	-0.036 -0.071	●	●	●	●	●	●	●	●	●	●	●	●	●	●
110	+0.120 +0.070	110+0.035	105	+0.087 0	105	-0.036 -0.071	●	●	●	●	●	●	●	●	●	●	●	●	●	●
115	+0.120 +0.070	115+0.035	110	+0.087 0	110	-0.036 -0.071	●	●	●	●	●	●	●	●	●	●	●	●	●	●
120	+0.120 +0.070	120+0.035	115	+0.087 0	115	-0.036 -0.071	●	●	●	●	●	●	●	●	●	●	●	●	●	●
125	+0.120 +0.070	125+0.035	120	+0.087 0	120	-0.036 -0.071	●	●	●	●	●	●	●	●	●	●	●	●	●	●
130	+0.170 +0.100	130+0.040	125	+0.100 0	125	-0.043 -0.083	●	●	●	●	●	●	●	●	●	●	●	●	●	●
135	+0.170 +0.100	135+0.040	130	+0.100 0	130	-0.043 -0.083	●	●	●	●	●	●	●	●	●	●	●	●	●	●
140	+0.170 +0.100	140+0.040	135	+0.100 0	135	-0.043 -0.083	●	●	●	●	●	●	●	●	●	●	●	●	●	●
145	+0.170 +0.100	145+0.040	140	+0.100 0	140	-0.043 -0.083	●	●	●	●	●	●	●	●	●	●	●	●	●	●
150	+0.170 +0.100	150+0.040	145	+0.100 0	145	-0.043 -0.083	●	●	●	●	●	●	●	●	●	●	●	●	●	●
155	+0.170 +0.100	155+0.040	150	+0.100 0	150	-0.043 -0.083	●	●	●	●	●	●	●	●	●	●	●	●	●	●
160	+0.170 +0.100	160+0.040	155	+0.100 0	155	-0.043 -0.083	●	●	●	●	●	●	●	●	●	●	●	●	●	●